

Su Ürünleri İmalat İth. İht. Tic. Ltd. Şti.

KONTİYÜNER TİP SOĞUK DEPOLAR CONTAINERIZED TYPE OF MOBILE COOLING STORAGES



TERMODİZAYN®



Su Ürünleri İmalat İth. İht. Tic. Ltd. Şti.

KONTEYNER TİP TAŞINABİLİR SOĞUK HAVA DEPOLARI

THERMODESIGN konteyner soğutucuları taşınabilir olması sebebi ile istediğiniz yere koyabilirsiniz, taşıyabilirsiniz veya kiralayabilirsiniz, taşınabilir olması size birçok avantaj sağlamaaktadır.

Sabit tip panel soğuk depoların montaj ve demontaj işlemleri oldukça maliyetli olmakta ayrıca birden fazla demontaj halinde deform olmaktadır, bu yüzden birçok işletme sahibi ve özellikle balıkçılık firmaları taşınabilir konteyner tip soğuk depoları tercih etmektedir.

THERMODESIGN taşınabilir konteyner tip soğuk depolar uluslararası taşımacılık standartlarına uygun olup konteyner ebatları haricinde makine çıktıları bulunmamaktadır bu sebeple taşıma kolaylığı sağlanmaktadır.

Panel izolasyon üzerindeki kapı net geçiş aralığı 90cm.x190cm.
Net geçişlidir.
İzolasyon panellerinin görünen yüzey malzemesi Polyester boyalı galvalum sactır.
Üzerindeki soğutma cihazları sahra tipi tropikal şartlarda bile sorunsuz çalışabilmektedir.

CONTAINER TYPE PORTABLE COLD STORAGES

You can put and carry the THERMODESIGN container coolers anywhere you wish since they are portable. You can also let them on lease. Portable nature of the cold storages give you many advantages.

Assembly and dismantling of fixed type panel cold storages is quite costly and in addition, they deform in case of dismantling for more than once. Therefore, many entrepreneurs and especially fishing companies prefer portable container type cold storages.

THERMODESIGN portable container type cold storages conform to international transportation standards and the machine has no protrusions other than the container sizes, and is, therefore, easy to transport.

*Net passage space on the panel isolation is 90 cm x 190 cms.
The visible surface material on the isolation panels is polyester coated galvalum sheet.
The cooling devices on them can function smoothly even under desert type tropical weather conditions.*

CONTAINERIZED MOBILE STORAGES

Type	Cabin Temperature	Compressor	Power Supply	Weight ~kg
10ft Cold	-5C / +5C	Hermetic	220 V / 50Hz.	2150 kg.
10ft Frost	-18C / -23C	Hermetic	380 V / 50Hz.	2300 kg.
20ft Cold	-5C / +5C	Hermetic	380 V / 50Hz.	2900 kg.
20ft Frost	-18C / -23C	Hermetic	380 V / 50Hz.	3100 kg.
20ft Shock	-35C / -40C	Double Stage S.H.	380 V / 50Hz.	4300 kg.
40ft Cold	-5C / +5C	Hermetic	380 V / 50Hz.	5100 kg.
40ft Frost	-18C / -23C	Hermetic	380 V / 50Hz.	5650 kg.
40ft Shock	-35C / -40C	Double Stage S.H.	380 V / 50Hz.	7850 kg.

* Containers are approved by International transportation laws

* Easy handling due to compact design

* All products is suitable for Tropical condition

* Special designs are available except below mentioned model




Su Ürünleri İmalat İth. İht. Tic. Ltd. Şti.



Su Ürünleri İmalat İth. İht. Tic. Ltd. Şti.



Su Ürünleri İmalat İth. İht. Tic. Ltd. Şti.



Su Ürünleri İmalat İth. İht. Tic. Ltd. Şti.

